




N-8 Caboose

20-90003-F
20-90003
20-90005-F
20-90005
20-91014
20-91049



N-8 Caboose

C a b o o s e P a r t s

<u>NameandNumber</u>	<u>Part#</u>	<u>PricePerUnit</u>
1.) Transmitting antenna (127.5mmlong)(black)	HA-0100001	1.00
2.) Receivingantenna(black)	HA-0100002	2.00
3.) Handrail(black) (13.5mm,pointtopoint)	HA-0100003	.50
4.) Stanchion(small)(black)	HA-0100004	2.00
5.) Stanchion(large)(black)	HA-0100005	3.00
6.) Smokestack(black)	HA-0100006	3.00
7.) Cupola(black)	HA-0100007	8.00
8.) Windows (copula)	FA-0100013	4.00
9.) Transmitting antenna (96.0mmlong)(black)	HA-0100008	1.00
10.) Catwalk(black)	HA-0100009	5.00
11.) Screw	IA-0000206	0.15
12.) EndRailing(Tuscanred) (w/yellowlanterns)	HA-0100010	4.00
13.) Handrails(yellow) (9.0mmlong)	HA-0100011	.50
14.) Brakewheel(black)	HA-0100012	1.00
15.) Handrails(yellow) (10.0mmlong)	HA-0100013	.50
16.) Shell(PRR)(#478123)	HA-0100014	*15.00
16.) Shell(PRR)(#478069)	HA-0100015	*15.00
16.) Shell(PRR)(#478132)	HA-0100021	*15.00
17.) EndRailing(Tuscanred) (w/outyellowlanterns)	HA-0100016	4.00
18.) Handrails(yellow) (24.0mm,pointtopoint)	HA-0100017	1.00
19.) Lightholder(clear)	CH-0000017	2.00
20.) Bulb(12V)(grainofwheat)	CG-0000017	1.00
21.) Conductor	HA-0000001	5.00
22.) Windowlens	FA-0100014	3.00
23.) Interiordetail	HA-0100018	*10.00
24.) Chassis(black)	GB-0100005	*10.00
25.) Endplatform(Tuscanred)	HA-0100019	4.00
26.) Screw	IA-0000204	0.15
27.) Screw	IA-0000178	0.15
28.) Screw	IA-0000268	0.15
29.) Washer	ID-0000064	0.15
30.) Undercarriagedetail(black)	HA-0100020	5.00
31.) Truck(blacktrucksides) (2axle)(2springspertruckside)	DA-0200002	6.00
32.) Pick-up	BD-0000062	5.00
33.) Groundstrap (44.0mmlong)	II-0000006	0.15
34.) Spring	IE-0000033	0.25
35.) Screw	IA-0000023	0.15
36.) Armature	DD-0000014	1.00
37.) Spring	IE-0000035	0.50
38.) Insulatorwasher	ID-0000065	0.15
39.) Spring(centering)	IE-0000036	0.50
40.) Coupler	DD-0000015	3.00
41.) Screw	IA-0000080	0.15
42.) Bulbs(L.E.D.)(red) (195.0mmlongwires)	CC-0000009	3.00
43.) Screw	IA-0000270	0.15
44.) CVboard	AG-0000018	4.00

*RequiresExchange

